

Revision: 4 Date of Issue: 08.10.2019

## SAFETY DATA SHEET

ACCORDING TO REGULATION 1272/2008 (CLP/GHS)

## **SECTION 1: IDENTIFICATION OF THE SUBSTANCE / MIXTURE AND** OF THE COMPANY/UNDERTAKING

**Product identifier** 1.1

Product name Difluorochloromethane (Hladon 22)

Difluorochloromethane Chemical name

Hladon 22 Trade name

Chlorodifluoromethane, Freon 22 Alternative names

Chemical formula CHCLF<sub>2</sub> Structural formula F 1

CL - C - H F

EC No. 200-871-9 75-45-6 CAS No.

**REACH Registration** 01-2119517587-31-0010

1.2 Relevant identified uses of the substance or mixture and uses advised against

> Identified use(s) Used for organic synthesis industry and as refrigerant.

Uses advised against Only for industrial or professional use.

1.3 Details of the Supplier of the safety data sheet

1.3.1 Manufacturer Joint Stock Company "HaloPolymer Perm"

> JSC "HaloPolymer Perm") str. Lasvinskaya, 98,

614042, Perm, the Russian Federation.

+7(342) 250-61-50

Website www.halopolymer.ru

Only representative of a non-Community **URALCHEM Assist GmbH** manufacturer Johannssenstrasse 10

30159. Hannover, Germany Telephone +49 511 45 99 444 info@uralchem-assist.de E-mail

1.4 **Emergency telephone number** 

Telephone

1.3.2

+7-342-282-85-45 (24 hours) Manufacturer/supplier: Great Britain +44 (0) 203 394 9870 (24/7) USA

1-877 271 7077

## 2. SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

2.1.1 Regulation (EC) No.1272/2008 H280: Gas under pressure.

H420: Harms public health and the environment by destroying ozone

in the upper atmosphere.

2.2 Other hazards Liquefied gas under pressure. Destroys the ozone layer. In high

concentrations it irritates the respiratory tract, has a weak narcotic, suffocating effect. Cylinders may explode if heated. May cause

frostbite.

Additional information 2.3 See also Section: 16.



Revision: 4 Date of Issue: 08.10.2019

## **SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

Product identifier type in accordance with Article 18(2) of Regulation (EC) No.1272/2008	Identifier number	Identification name	Weight % content (or range)	EC Number
CAS number	75-45-6	Difluorochloromethane	≥ 99.9	200-871-9

## 4. SECTION 4: FIRST AID MEASURES



Description of first aid measures

Fresh air, rest, warm. Inhalation of oxygen. At evident sleepiness, Inhalation

heavy breathing - hospitalization.

Rinse with water. In case of contact of liquefied gas with skin, apply Skin contact

antiseptic dressing. Seek medical advice, if necessary.

Flush with plenty of running water. Seek oculist's advice, if necessary. Eye contact

Unlikely route of exposure.

4.2 Most important symptoms and effects, both

acute and delayed

Headache, dizziness, shortness of breath, loss of balance and coordination, convulsive twitches, tremor, numb feeling in the hands, salivation, irritation of upper respiratory tract, eyes, chest pain,

weakness.

Indication of immediate medical attention 4.3

and special treatment needed

Frostbite of skin and eves. No special requirements.

## 5. SECTION 5: FIREFIGHTING MEASURES

5.1 Extinguishing media

Ingestion

Use extinguishing media according to main source of ignition. Suitable extinguishing media

Unsuitable extinguishing media Not established.

5.2 Special hazards arising from the substance

or mixture

5.3 Advice for firefighters

5.4 Additional information

May decompose in a fire forming high-toxic products: Tetrafluoroethylene, Hydrogen Fluoride, Hydrogen Chloride. Fire-fighters should wear fully protective clothing including selfcontained breathing apparatus. Chemical protection suit.

Keep containers cool by spraying with water if exposed to fire.

## 6. SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

For information on personal protection see, Section 8, Avoid direct contact with the substance. Use personal protective equipment. Ensure supply-and-exhaust ventilation and local one. Drive the vehicle with the product to a place of safety. Make leave unauthorized persons. Enter the danger zone using the protective equipment. Stay upwind. Avoid low areas. Provide first aid to victims. For emergency responders - self-contained breathing apparatus. Chemical protection

6.2 **Environmental precautions**  Sealing of process equipment and shipping containers, contaminated wastewater treatment using special treatment facilities. Capture of contaminated gas emissions and their purification by condensation, adsorption.

6.3 Methods and material for containment and cleaning up

Call the emergency response team. Eliminate the leakage with caution. When the gas leakage rate is too high, let gas go out completely. Avoid contact of liquid gas with combustible substances. Isolate the area until gas dispersal. Use sprayed water to disperse gas.



Revision: 4 Date of Issue: 08.10.2019

Reference to other sections See also Section: 8 and 13. 6.4

6.5 Additional Information None.

## 7. SECTION 7: HANDLING AND STORAGE

Use only for industrial use and only outdoors or in a well-ventilated 7.1 Precautions for safe handling

premises. Avoid gas inhalation. Ensure pressurization of processing equipment and consumer containers. Do not eat, drink or smoke during work. Maintain personal hygiene. Provide supply-and-exhaust

Store in warehouses or under roof providing sun protection, away from

ventilation and local one.

7.2 Conditions for safe storage, including any

incompatibilities

heat and open flame.

Temperature is not above 52 °C. Storage temperature

Two years from the date of production. Storage life Combustible materials. Incompatible materials

Used for organic synthesis industry and as refrigerant. 7.3 Specific end use(s)

## 8. SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

8.1.1 Occupational Exposure limit values

SUBSTANCE.	CAS No.	LTEL (8 hr TWA ppm)	LTEL (8 hr TWA mg/m³)	STEL (ppm)	STEL (mg/m³)	Note:
Difluorochloromethane	75-45-6	-	3000	-		Vapours

8.1.2 **Biological limit value** No information available.

8.1.3 **PNECs and DNELs** No information available.

8.2 **Exposure controls** 

8.2.1 Appropriate engineering controls Provide supply-and-exhaust ventilation and local one.

Ensure pressurization of processing equipment.

8.2.2 Personal protection equipment

> Eye/face protection Eye protection (safety glasses, mask).



Rubber gloves. Hand protection



Air supplied breathing apparatus. Respiratory protection



Skin protection Protective clothing (woolen suit, cotton overalls).



Observe the general industrial hygiene regulations. Take a hygienic Hygienic measures

shower at the end of working day. Eating, drinking, and smoking are

prohibited in the work area.

8.2.3 **Environmental Exposure Controls** Avoid release to the environment.



Revision: 4 Date of Issue: 08.10.2019

## 9. SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

#### 9.1 Information on basic physical and chemical properties

Appearance Gas

Colour Colourless

Odour Weak odour of chloroform Odour threshold (ppm) Not established

pH (Value) Not established

Melting point (°C) -160°C Boiling point (°C) -40.8°C Critical temperature (°C) 96.13 Critical pressure (MPa) 4.986 Critical density (kg/m³) 512.8

Flash point (°C) Incombustible gas Ignition temperature (°C) Incombustible gas

Density at -69 °C (g/cm3) 1.49 Density of liquid hladon at 0 °C (kg/m³) 1285 Density of liquid hladon at 25 °C (kg/m<sup>3</sup>) 1192 Solubility in water at 20 °C (mg/l) 3000

Solubility (in other substances) In diethyl ether, acetone, trichloromethane, fats

Auto-ignition temperature (°C) Incombustible gas Above 400 °C Decomposition temperature (°C) log Pow 1.13 Partition coefficient: n-octanol/water Non-explosive Explosive properties

9.2 Other information No information available

## **10.SECTION 10: STABILITY AND REACTIVITY**

10.1 Chemical stability Stable under normal operating conditions. Possibility of hazardous reactions 10.2 With combustible materials, open fire.

10.3 Conditions to avoid When contacting with the hot surfaces or flame, the substance

decomposes forming highly toxic products.

10.4 Incompatible materials Combustible materials.

Tetrafluoroethylene, Hydrogen Fluoride, Hydrogen Chloride. 10.5 Hazardous decomposition product(s)

## 11.SECTION 11: TOXICOLOGICAL INFORMATION

#### 11.1 Information on toxicological effects

Acute toxicity

Acute inhalation toxicity: LC<sub>50</sub> 1000000 mg/m<sup>3</sup> / 2h (rat) (IUCLID)

Acute oral toxicity: Not available. Acute dermal toxicity: Not available.

Inhalation The product has low toxicity if inhaled. In high concentrations it acts

as narcotic and asphyxiant.

When contacting the liquid product, it causes frostbite. Skin contact When contacting the liquid product, it causes frostbite. Eve contact

Skin corrosion/irritation Weak skin irritation. Eye damage/irritation Weak eye irritation.

Respiratory or skin sensitization The substance is not classified as skin sensitizer.

Mutagenicity Not identified as confirmed (IARC). Carcinogenicity Not identified as confirmed. Reproductive toxicity Not identified as confirmed.

Rapid evaporation of liquid may cause frostbite. STOT - single exposure

STOT - repeated exposure May cause injury of central nervous and cardiovascular systems,

kidneys, respiratory tract.

Other information 11.2 Not available.



Revision: 4 Date of Issue: 08.10.2019

## 12. SECTION 12: ECOLOGICAL INFORMATION

12.1 Toxicity Acute toxicity to: Fish:  $LC_{50} = 777 \text{mg/l/96h}$  Water flea:  $EC_{50} = 433 \text{ mg/l/48h}$ 

12.2 Persistence and degradability Not degradable (0% BOD in 28 days).

12.3 Bioaccumulative potential Low partition coefficient (octanol-water) indicates the absence of

bioaccumulation.
Not available.

12.4 Mobility in soil

12.5 Results of PBT and VPVB assessment Not available.

**12.6** Other adverse effects The substance affects the ozone layer.

## 13.SECTION 13: DISPOSAL CONSIDERATIONS

**13.1** Waste treatment methods Recycling. Returnable containers.

13.2 Additional information None.

## 14.SECTION 14: TRANSPORT INFORMATION

**14.1 UN number** 1018

**14.2** Proper shipping name Chlorodifluoromethane (REFRIGERANT GAS R22)

14.3 Transport hazard class(es) As per ADR/RID: hazard class-2.2, classification code - 2A, hazard

sign - 2.2.

As per IMDG: hazard class – 2.2. As per ICAO/IATA: hazard class – 2.2.

14.4 Packing group None

14.5 Special precautions for user Hazard code – 20.
 14.6 Additional information Not available.

## 15.SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the

substance or mixture 15.1.1 EU regulations

Authorizations and/or restrictions on use

The substance is listed in Annex 1 of Regulation (EC) №1005/2009

(ozone-depleting potential - 0.055).

15.2 Chemical Safety Assessment Not available.

## **16.SECTION 16: OTHER INFORMATION**

16.1 Classification of the substance or mixture

Regulation (EC) No.1272/2008 (CLP/GHP): classified as dangerous

for supply/use.

16.1.1 Label elements

Product name Hazard pictogram (-s)

Precautionary statement(s)

Difluorochloromethane (Hladon 22)



Signal word(s) Warning

Hazard statement(s) H280: Contains gas under pressure: may explode if heated.

H420: Harms public health and the environment by destroying ozone

in the upper atmosphere.

P273: Avoid release to the environment.

P410+P403: Protect from sunlight. Store in a well ventilated place.

Additional information None.



Revision: 4 Date of Issue: 08.10.2019

Information contained in this SDS or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purposes.

HaloPolymer Perm OJSC gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law.

HaloPolymer Perm OJSC accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information.

Freedom under Patents, Copyright and Designs cannot be assumed.

You should not use the product with the purposes other than those specified, without consultation with us.

It is the Customer's responsibility to make an assessment of this product and use it observing safety precautions and requirements of relevant laws and legal norms.

The Buyer of the product intended for a third party's usage is obliged to take all reasonable steps to afford access to all information contained in this SDS for any person making use of this product.

An Employer must inform employees and other persons of the dangers they can be incurred and precautionary measures they should apply.



Revision: 4 Date of Issue: 08.10.2019

Annex to the extended Safety Data Sheet (eSDS)

Not available.