

Intertek Consumer Goods GmbH · Würzburger Straße 152 · 90766 Fürth · Germany

HaloPolymer Kirovo-Chepetsk LLC
Ms. Irina Kutjavina
Lasvinskaya Str. 98
614113 Perm
Russia

Fürth, December 17/2019

TEST REPORT No. FUHLCP2019-11119

Date sample received: November 29/2019
Period of testing: November 29/2019 - December 12/2019
Technical Director: Kerstin Scharrer

Abbreviations:

- * = Test method is not part of the accreditation scope
- ** = Outsourcing
- n.a. = not applicable
- n.t. = not tested
- n.d. = not determinable (< LoQ)
- LoQ = limit of quantification
- CS = Combined sample
- P = passed
- F = failed

Sample description: Fluoroplast-4D



Tested components
Fluoroplast-4D, plastic, white

Perfluorinated tensides in µg/kg

Test method: 12.02.01.01_PFT (2019-08)

Substance name	Abbrev.	CAS-No.	LoQ	Test result
Perfluorobutanoic acid	PFBA [PFC C4]	375-22-4	10	n.d.
Perfluoropentanoic acid	PFPeA [PFC C5]	2706-90-3	10	n.d.
Perfluorohexanoic acid	PFHxA [PFC C6]	307-24-4	10	n.d.
Perfluoroheptanoic acid	PFHpA [PFC C7]	375-85-9	10	n.d.
Perfluorooctanoic acid ¹	PFOA [PFC C8]	335-67-1	10	n.d.
Perfluorononanoic acid	PFNA [PFC C9]	375-95-1	10	n.d.
Perfluorodecanoic acid	PFDA [PFC C10]	335-76-2	25	n.d.
Perfluoroundecanoic acid	PFUdA [PFC C11]	2058-94-8	25	n.d.
Perfluorododecanoic acid	PFDoA [PFC C12]	307-55-1	25	n.d.
Perfluoro-tridecanoic acid	PFTdA [PFC C13]	72629-94-8	25	n.d.
Perfluorotetradecanoic acid	PFTeDA [PFC C14]	376-06-7	25	n.d.
Perfluorobutanesulfonic acid	PFBS [PFS C4]	375-73-5	10	n.d.
Perfluorohexanesulfonic acid	PFHxS [PFS C6]	355-46-4	10	n.d.
Perfluoroheptanesulfonic acid	PFHpS [PFS C7]	375-92-8	10	n.d.
Perfluorooctanesulfonic acid	PFOS [PFS C8]	1763-23-1	10	n.d.
Perfluorodecanesulfonic acid	PFDS [PFS C10]	335-77-3	10	n.d.
Perfluorooctan sulfonamide	PFOSA	754-91-6	10	n.d.
N-Methylheptadecafluorooctan sulfonamide	N-Me-FOSA	31506-32-8	10	n.d.
N-Ethylheptadecafluorooctan sulfonamid	N-Et-FOSA	4151-50-2	10	n.d.
N-Methylheptadecafluorooctan sulfonamide ethanol	N-Me-FOSE-alcohol	24448-09-7	10	n.d.
N-Ethylheptadecafluorooctan sulphonamide ethanol	N-Et-FOSE-alcohol	1691-99-2	10	n.d.
1H,1H,2H,2H-Perfluoro-octanesulphonic acid	1H, 1H, 2H, 2H-PFOS	27619-97-2	10	n.d.
2H,2H,3H,3H-Perfluoro-undecanoic acid	4HPFUnA	34598-33-9	10	n.d.
Perfluoro-3-7-dimethyl octane carboxylate	PF-3,7-DMOA	172155-07-6	10	n.d.
7H-Dodecafluoroheptane carboxylate	HPFHpA	1546-95-8	25	n.d.
2H,2H-Perfluorodecan carboxylate	H2PFDA	27854-31-5	25	n.d.
1H, 1H, 2H, 2H-Perfluorodecanesulfonic acid	FTS 8:2	39108-34-4	10	n.d.

¹ Limit for articles: ≥ 25 ppb - valid from 4. July 2020

Non-ionic perfluorinated tensides in µg/kg

Test method: 12.02.01.03_ Non-ionic PFT (2019-08)

Limit of quantification: 100 µg/kg

Substance name	Abbrev.	CAS-No.	Test result
1H,1H,2H,2H-Perfluorohexanol	4:2 FTOH	2043-47-2	n.d.
1H,1H,2H,2H-Perfluorooctanol	6:2 FTOH	647-42-7	n.d.
1H,1H,2H,2H-Perfluorodecanol	8:2 FTOH	678-39-7	n.d.
1H,1H,2H,2H-Perfluorododecanol	10:2 FTOH	865-86-1	n.d.
1H,1H,2H,2H-Perfluorooctyl acrylate	6:2 FTA	17527-29-6	n.d.
1H,1H,2H,2H-Perfluorodecyl acrylate	8:2 FTA	27905-45-9	n.d.
1H,1H,2H,2H-Perfluorododecyl acrylate	10:2 FTA	17741-60-5	n.d.
1H,1H,2H,2H-Perfluorhexyl methacrylate	4:2 FTMA	1799-84-4	n.d.
1H,1H,2H,2H-Perfluorooctyl methacrylate	6:2 FTMA	2144-53-8	n.d.
1H,1H,2H,2H-Heptadecafluorodecyl methacrylate	8:2 FTMA	1996-88-9	n.d.

General note:

This report has been prepared for the titled project or named part thereof and should not be relied upon or used for any other project without an independent check being carried out as to its suitability and prior written authority of Intertek being obtained. Intertek accepts no responsibility or liability for the consequences of this document being used for a purpose other than the purposes for which it was commissioned. Any person using or relying on the document for such other purposes agrees, and will by such use or reliance be taken to confirm his agreement to indemnify Intertek for all loss or damage resulting therefrom. Intertek accepts no responsibility or liability for this document to any party other than the person by whom it was commissioned.

We would like to point out, that Intertek can't provide legally binding assessments referring to isolated cases. The individual legal advice in Germany is reserved to the legal advisory professions and a binding interpretation is subject to the court of justice.

Copying excerpts or otherwise reproducing parts of the test report is permitted only with the consent of the laboratory accepting the order. This report pertains only to the test item(s).

All testing requests are subject to our Terms and Conditions available on www.intertek.com.

END OF REPORT